



1/23




FIG. 1

2/23




FIG. 2

3/23




FIG. 3

4/23

The screenshot displays the 'COMMERCE ONE xCBL Mailbox' interface. At the top, a navigation bar includes links for 'home', 'help', and 'log off' (labeled 211), along with user information: 'User: Angela Baxter' and 'Organization: Application Foundation' (labeled 212). The 'COMMERCE ONE' logo is in the top right corner. On the left, a sidebar contains a 'Folders' list with items like 'Inbox', 'Sent', 'Draft', 'Trash (Empty)', and several 'Custom Folder' entries (labeled 221 and 331). The main area features a 'REPLY TO: Trading Partner Name Document Type' form (labeled 441). This form includes a 'Select Document Type' dropdown menu (labeled 442) and a 'Continue' button. Below this, there are input fields for 'Trading Partner Name: [TP NAME]', 'Trading Partner Short Name: [TP SHORT NAME]', and 'MPID: [MPID]' (labeled 443). A 'Cancel' button is located at the bottom right of the form area.

FIG. 4

5/23

COMMERCE ONE
xCBL Mailbox

[home](#) [help](#) [log off](#) -211
User: Angela Baxter -212
Organization: Application Foundation

COMMERCE ONE

View Inbox

Compose

Search Options

Addresses

Folders

- Inbox
- Sent
- Draft
- Trash (Empty)
- Custom Folder 1
- Custom Folder 2
- Custom Folder 3
- Custom Folder 4
- Custom Folder 5

221
331

Field:

Select... Select... -513

the phrase or word: 512

441

Filter by dates: ☒ no filter ☐ Start: -- -- 1997 End: -- -- 1997 -515

Filter by Status: Select... -516

Filter by Trading Partner: -517

Filter by DocType: No Restrictions -518

Look in:

☒ Inbox

☒ Draft

☒ Sent

☒ Trash

☒ Custom Folder 1

☒ Custom Folder 2

☒ Custom Folder 3

☒ Custom Folder 4

☒ Custom Folder 5

519

Check all Clear all

Clear Search

FIG. 5

6/23




FIG. 6

7/23




FIG. 7

8/23




FIG. 8




FIG. 9

9/23




FIG. 10

10/23




FIG. 11

11/23




FIG. 12

12/23

COMMERCE ONE
xCBL Mailbox

View Inbox
Search
Options
Folders

Inbox
Draft
Sent
Trash (Empty)
Abc
Andy
brian
Commerce One
demo
Hil
RollsRoyce

home help log off

User: admin

Organization: OrgID

Draft

Reply To: Rubicon

Quote

Quote Header:

*Quote#

PC-009

Quote Issue Date: (Please Input as MM/dd/yyyy)

Quote Sent to Buyer: ABB-1010

ABB Cornerstone Company
45 Terrance Blvd.
7th Floor
Auction Department
Angelville, USCA96660
US

From Seller: ABB-1010

ABB Cornerstone Company
45 Terrance Blvd.
7th Floor
Auction Department
Angelville, USCA96660
US

Quote Detail:

Quote Item Detail 1

*Quote Type

*Item

1

Part#

T-77-0-0-56

Description

Qty

6000000.00

U/M

EA

To Be Completed by Offeror:

*Unit Price:

*U/M

*Total Price

Attachment:

Quote Summary:

COMMERCE ONE

xCBL Mailbox

Back to list of documents

Send

Save as Draft

Validate

Reset

Add/Edit Attachments

FIG. 13

13/23




FIG. 14

14/23




FIG. 15

15/23




FIG. 16

16/23




FIG. 17

17/23




FIG. 18






FIG. 19

18/23



19/23




FIG. 22

20/23

SQL Server Enterprise Manager - [2>Data in Table 'RR_Document_Type' in 'XM_20' on 'JEEP']				
Console Window Help				
Type_ID	Type	Name_Space	TS_Supported	Application_Created
1	RequestFor Quotati	urn:x-commerceone:document:com:commerceone:XCBL35:sox\$1.0	0	1
2	RequestFor Quotati	urn:x-commerceone:document:com:commerceone:XCBL30:sox\$1.0	0	1
3	Quote	urn:x-commerceone:document:com:commerceone:XCBL35:sox\$1.0	0	<NULL>
4	Quote	urn:x-commerceone:document:com:commerceone:XCBL30:sox\$1.0	0	1
5	Order	urn:x-commerceone:document:com:commerceone:XCBL35:sox\$1.0	0	1
6	Order	urn:x-commerceone:document:com:commerceone:XCBL30:sox\$1.0	0	<NULL>
7	AdvanceShipmentA	urn:x-commerceone:document:com:commerceone:XCBL35:sox\$1.0	0	<NULL>
8	AdvanceShipmentA	urn:x-commerceone:document:com:commerceone:XCBL30:sox\$1.0	0	<NULL>
9	AdvanceShipmentA	urn:x-commerceone:document:com:commerceone:XCBL01:sox\$1.0	0	<NULL>
10	Invoice	urn:x-commerceone:document:com:commerceone:XCBL35:sox\$1.0	0	1
11	Invoice	urn:x-commerceone:document:com:commerceone:XCBL30:sox\$1.0	0	<NULL>
12	Invoice	urn:x-commerceone:document:com:commerceone:XCBL01:sox\$1.0	0	1
13	PurchaseOrder	urn:x-commerceone:document:com:commerceone:XCBL01:sox\$1.0	0	<NULL>
14	PurchaseOrder	urn:x-commerceone:document:com:commerceone:CBL:CBL-sox\$1.0	0	1
*				

FIG. 23

21/23

SQL Server Enterprise Manager - [2>Data in Table 'RR_Field_Definition' in 'XM_20' on 'JEEP']					
Console Window Help					
RR_Field	Definition	MPID	Type ID	Name	
26		f8452c54-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItemDetail/TotalQuantity/Quantity/QuantityValue/@ConditionsCoded	
34		f8452c54-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItem/ListOfAttachment/ListOfAttachment/Attachment["/FileName	
36		f8452c54-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItem/Type/QuoteType/QuoteTypeCoded	
41		f94be98e-77b6-10x 2		/RequestForQuotation/ListOfRequestQuoteDetails/RequestQuoteDetails["/RequestQuoteItemDetail/BaseltemDetail/TotalQuantity/Quantity/Qu	
42		f94be98e-77b6-10x 2		/RequestForQuotation/ListOfRequestQuoteDetails/RequestQuoteDetails["/RequestQuoteItemDetail/BaseltemDetail/TotalQuantity/Quantity/Qu	
40		f94be98e-77b6-10x 2		/RequestForQuotation/RequestQuoteHeader/RequestQuoteID/ReferenceRefNum	
44		f94be98e-77b6-10x 2		/RequestForQuotation/RequestQuoteHeader/RequestQuoteParty/OrderParty/BuyerParty/PartyName/Address/Name1	
29		f94be98e-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItemDetail/TotalQuantity/Quantity/QuantityValue/@ConditionsCoded	
27		f94be98e-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItemDetail/TotalQuantity/Quantity/QuantityValue/@SignificanceCoded	
32		f94be98e-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItem/ListOfAttachment/ListOfAttachment/Attachment["/FileName	
20		f94be98e-77b6-10x 4		/Quote/ListOfQuoteDetails/QuoteDetails["/QuoteItem/Type/QuoteType/QuoteTypeCoded	
19		f94be98e-77b6-10x 4		/Quote/QuoteHeader/QuoteID/ReferenceRefNum	
15		f94be98e-77b6-10x 12		/Invoice/InvoiceHeader/CBL Prefix:InvoiceCurrency	
17		f94be98e-77b6-10x 12		/Invoice/InvoiceHeader/InvoiceIssuedDate	
1		f94be98e-77b6-10x 12		/Invoice/InvoiceHeader/InvoiceSupplierID/CBL Prefix:Reference/CBL Prefix:RefNum	
3		f94be98e-77b6-10x 12		/Invoice/InvoiceHeader/InvoiceType	
14		f94be98e-77b6-10x 12		/Invoice/InvoiceSummary/InvoiceTotals/CBL Prefix:GrossValue	
13		f94be98e-77b6-10x 12		/Invoice/InvoiceSummary/InvoiceTotals/CBL Prefix:NetValue	
6		f94be98e-77b6-10x 12		/Invoice/ListOfInvoiceDetail/InvoiceDetail/CBL Prefix:LineItemNum	
10		f94be98e-77b6-10x 12		/Invoice/ListOfInvoiceDetail/InvoiceDetail/CBL Prefix:SupplierPartNum/CBL Prefix:PartNum/CBL Prefix:PartID	
11		f94be98e-77b6-10x 12		/Invoice/ListOfInvoiceDetail/InvoiceDetail/CBL Prefix:UnitPrice	
12		f94be98e-77b6-10x 12		/Invoice/ListOfInvoiceDetail/InvoiceDetail/Tax/CBL Prefix:TaxAmount	
38		f94be98e-77b6-10x 12		/Invoice/ListOfInvoiceDetail/InvoiceDetail["/InvoiceDetailRefs/InvoiceRefs/ListOfRelatedInvoiceRef/RelatedInvoiceRef["/InvoiceNumber/CBLP	
*					

FIG. 24

22/23

The file is for the displaying the XPath information in search page.
Default is empty. You can put the XPath and information like:
Order/OrderHeader/OrderNumber/BuyerOrderNumber = Purchase Order Number
#

2501

```
/Order/OrderHeader/OrderNumber/BuyerOrderNumber = PO#  
/Order/OrderHeader/Purpose/PurposeCoded/ = PO Purpose  
/Order/OrderHeader/OrderParty/BuyerParty/Party/PartyID/Identifier/Ident = Buyer ID  
/Order/OrderHeader/OrderParty/SellerParty/Party/PartyID/Identifier/Agency/AgencyCoded  
= Seller Agency Coded  
/PriceCheckRequest/PriceCheckRequestDetail/ListOfPriceCheckRequestItemDetail/PriceChe  
ckRequestItemDetail/PriceCheckRequestBaseItemDetail/LineItemNum/BuyerLineItemNum =  
Buyer Line Item Number  
/Quote/QuoteHeader/QuoteID/Reference/RefNum = Reply Quote #  
/Quote/ListOfQuoteDetails/QuoteDetails[*]/QuoteItemType/QuoteType/QuoteTypeCoded =  
Type  
/RequestForQuotation/RequestQuoteHeader/RequestQuoteID/Reference/RefNum = PO#  
/RequestForQuotation/RequestQuoteHeader/RequestQuoteParty/OrderParty/BuyerParty/Party  
/NameAddress/Name1 = Buyer Name.
```


***** Multiple occurrence *****
#

2502

```
/Quote/ListOfQuoteDetails/QuoteDetails[*]/QuoteItemDetail/TotalQuantity/Quantity/Quan  
tityValue/@ConditionsCoded = Quantity Coded (attribute)  
/Quote/ListOfQuoteDetails/QuoteDetails[*]/QuoteItemDetail/TotalQuantity/Quantity/Quan  
tityValue/@SignificanceCoded = Signific (attribute)  
/Quote/ListOfQuoteDetails/QuoteDetails[*]/QuoteItemListofAttachment/ListOfAttachment/  
Attachment[*]/FileName = Attach File  
/RequestForQuotation/ListOfRequestQuoteDetails/RequestQuoteDetails[*]/RequestQuoteIte  
mDetail/BaseItemDetail/ItemIdentifiers/PartNumbers/BuyerPartNumber/PartNum/PartID =  
Part Number  
/RequestForQuotation/ListOfRequestQuoteDetails/RequestQuoteDetails[*]/RequestQuoteIte  
mDetail/BaseItemDetail/LineItemNum/BuyerLineItemNum = Line Item#  
/RequestForQuotation/ListOfRequestQuoteDetails/RequestQuoteDetails[*]/RequestQuoteIte  
mDetail/BaseItemDetail/TotalQuantity/Quantity/QuantityValue/@SignificanceCoded = QTY  
Code (attr.)  
/AdvanceShipmentNotice/ASNHeader/ASNParty/OrderParty/SellerParty/Party/OtherContacts/  
ListOfContact/Contact[*]/ContactName = Contact Name
```



***** Different name space *****
#

2503

```
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:OrderReference/CBLPrefix\:AccountCode/CBLPr  
efix\:Reference/CBLPrefix\:RefNum = Tester_R#  
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:POIssueDate = PO Date  
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:RequestedDeliveryDate = Delivery Date  
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:ShipByDate = Ship Date  
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:OrderReference/CBLPrefix\:AccountCode/CBLPr  
efix\:Reference/CBLPrefix\:RefNum = Acc R#  
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:OrderParty/CBLPrefix\:BuyerParty/CBLPrefix\  
:Party/@PartyID = Party ID (attribute)  
/ChangeOrder/ChangeOrderHeader/CBLPrefix\:OrderParty/CBLPrefix\:BuyerParty/CBLPrefix\  
:Party/@AgencyID = Agency ID (attribute)
```

FIG. 25

23/23



RR Searchable Field	Document Seq No	RR Field Definition	Value
218	373	34	Contemporary Resume.dot
219	373	36	Accept
220	373	36	Decline
221	375	26	Actual
222	375	34	commerceone.gif
223	375	34	test.ppt
224	375	36	Accept
225	375	36	Decline
226	378	17	20010829T11:40:04
227	378	1	cfsiqwx
228	378	3	Other
229	378	14	731553717078757.76
230	378	13	102124846200985.858
231	378	6	-1025433866
232	378	10	rjsupio
233	378	11	354510583455328.450
234	378	12	54445096814106.333
235	378	38	vymtrcev
236	378	38	svrjgevqdl
237	378	38	rfemopkh
238	378	38	liright
239	387	41	T-77-0-0-56
240	387	42	TrueValue
241	387	40	PC-009
242	387	44	AAA Company
243	388	41	T-77-0-0-56
244	388	42	TrueValue
245	388	40	PC-009
246	388	44	AAA Company
247	389	42	TrueValue
248	389	40	PC-009
249	389	44	AAA Company
250	391	29	Actual
251	391	27	TrueValue
252	391	32	PlanningSchedule_3_30.xml
253	391	32	AvailabilityToPromiseResponse_3_30.xml
254	391	32	Invoice_3_30.xml
255	391	20	Accept
256	391	20	Decline
257	391	19	test xpath
258	392	26	Actual
259	392	34	PlanningSchedule_3_30.xml
260	392	34	AvailabilityToPromiseResponse_3_30.xml
261	392	34	Invoice_3_30.xml
262	392	36	Accept

FIG. 26